

Scrum - Defect #1155

Error opening Scrum Stats

2016-04-25 22:35 - Leonardo Sena

Status:	Resolved		
Priority:	Normal		
Category:	Sprint stats		
Target version:	Scrum v0.14.0		
Source:	Customer	Blocked:	No
Detected on version:	Scrum v0.13.2	Alone:	
Description			
The following error is throw on the production log:			
<pre>Started GET "/redmine/projects/sad-gestor-erp-wa/scrum/stats" for 177.193.189.61 at 2016-04-25 16:25:55 -0400 Processing by ScrumController#stats as HTML Parameters: {"project_id"=>"sad-gestor-erp-wa"} Current user: Leonardo (id=4) Completed 500 Internal Server Error in 0ms (ActiveRecord: 0.0ms) NoMethodError (undefined method `allowed_to_view_all_time_entries?' for #<User:0x84e1f00>): vendor/bundle/ruby/2.0.0/gems/activemodel-4.2.3/lib/active_model/attribute_methods.rb:433:in `method_missing' plugins/scrum/app/controllers/scrum_controller.rb:301:in `stats' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/implicit_render.rb:4:in `send_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/abstract_controller/base.rb:198:in `process_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/rendering.rb:10:in `process_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/abstract_controller/callbacks.rb:20:in `block in process_action' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:115:in `call' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:115:in `call' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:553:in `block (2 levels) in compile' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:503:in `call' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:503:in `call' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:88:in `run_callbacks' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/abstract_controller/callbacks.rb:19:in `process_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/rescue.rb:29:in `process_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/instrumentation.rb:32:in `block in process_action' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/notifications.rb:164:in `block in instrument' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/notifications/instrumenter.rb:20:in `instrument' vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/notifications.rb:164:in `instrument' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/instrumentation.rb:30:in `process_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/params_wrapper.rb:250:in `process_action' vendor/bundle/ruby/2.0.0/gems/activerecord-4.2.3/lib/active_record/railties/controller_runtime.rb:18:in `process_action' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/abstract_controller/base.rb:137:in `process' vendor/bundle/ruby/2.0.0/gems/actionview-4.2.3/lib/action_view/rendering.rb:30:in `process' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal.rb:196:in `dispatch' vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal/rack_delegation.rb:13</pre>			

```
:in `dispatch'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_controller/metal.rb:237:in `block in action'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/routing/route_set.rb:76:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/routing/route_set.rb:76:in `dispatch'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/routing/route_set.rb:45:in `serve'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/journey/router.rb:43:in `block in serve'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/journey/router.rb:30:in `each'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/journey/router.rb:30:in `serve'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/routing/route_set.rb:821:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-openid-1.4.2/lib/rack/openid.rb:98:in `call'
  vendor/bundle/ruby/2.0.0/gems/request_store-1.0.5/lib/request_store/middleware.rb:9:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/etag.rb:24:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/conditionalget.rb:25:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/head.rb:13:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-xml_parser-1.0.2/lib/action_dispatch/xml_params_parser.rb:16:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/params_parser.rb:27:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/flash.rb:260:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/session/abstract/id.rb:225:in `context'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/session/abstract/id.rb:220:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/cookies.rb:560:in `call'
  vendor/bundle/ruby/2.0.0/gems/activerecord-4.2.3/lib/active_record/query_cache.rb:36:in `call'
  vendor/bundle/ruby/2.0.0/gems/activerecord-4.2.3/lib/active_record/connection_adapters/abstract/connection_pool.rb:653:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/callbacks.rb:29:in `block in call'
  vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/callbacks.rb:84:in `run_callbacks'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/remote_ip.rb:78:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/debug_exceptions.rb:17:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/show_exceptions.rb:30:in `call'
  vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/rack/logger.rb:38:in `call_app'
  vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/rack/logger.rb:20:in `block in call'
  vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/tagged_logging.rb:68:in `block in tagged'
  vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/tagged_logging.rb:26:in `tagged'
  vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/tagged_logging.rb:68:in `tagged'
  vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/rack/logger.rb:20:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/request_id.rb:21:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/methodoverride.rb:22:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/runtime.rb:18:in `call'
  vendor/bundle/ruby/2.0.0/gems/activesupport-4.2.3/lib/active_support/cache/strategy/local_cache_middleware.rb:28:in `call'
  vendor/bundle/ruby/2.0.0/gems/actionpack-4.2.3/lib/action_dispatch/middleware/static.rb:116:in `call'
  vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/sendfile.rb:113:in `call'
  vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/engine.rb:518:in `call'
  vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/application.rb:165:in `call'
```

```

vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/railtie.rb:194:in `public_send'
vendor/bundle/ruby/2.0.0/gems/railties-4.2.3/lib/rails/railtie.rb:194:in `method_missing'
vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/urlmap.rb:66:in `block in call'
vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/urlmap.rb:50:in `each'
vendor/bundle/ruby/2.0.0/gems/rack-1.6.4/lib/rack/urlmap.rb:50:in `call'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/connection.rb:82:in `block in pre_
process'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/connection.rb:80:in `catch'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/connection.rb:80:in `pre_process'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/connection.rb:55:in `process'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/connection.rb:41:in `receive_data'
vendor/bundle/ruby/2.0.0/gems/eventmachine-1.0.3-x86-mingw32/lib/eventmachine.rb:187:in `run_mac
hine'
vendor/bundle/ruby/2.0.0/gems/eventmachine-1.0.3-x86-mingw32/lib/eventmachine.rb:187:in `run'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/backends/base.rb:73:in `start'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/server.rb:162:in `start'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/controllers/controller.rb:87:in `s
tart'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/runner.rb:200:in `run_command'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/lib/thin/runner.rb:156:in `run!'
vendor/bundle/ruby/2.0.0/gems/thin-1.6.1-x86-mingw32/bin/thin:6:in `'
bin/thin:16:in `load'
bin/thin:16:in `'

```

Which will display the default 500 error message.
 Im currently on version v0.13.2.

Subtasks:

To do # 1169: Use Redmine 3.0.0 compatible 'allow_to' method

Resolved

History

#1 - 2016-05-03 22:43 - Redmine Smile

The method `allowed_to_view_all_time_entries?` was introduced with Redmine 3.1:

<http://www.redmine.org/issues/8929>

So I suppose you will have to upgrade to that version,

Or replace `scrum/lib/scrum/user_patch.rb` by:

```

# Copyright © Emilio González Montaña
# Licence: Attribution & no derivatives
# * Attribution to the plugin web page URL should be done if you want to use it.
#   https://redmine.ociotec.com/projects/redmine-plugin-scrum
# * No derivatives of this plugin (or partial) are allowed.
# Take a look to licence.txt file at plugin root folder for further details.

require_dependency "user"

module Scrum
  module UserPatch
    def self.included(base)
      base.class_eval do

        has_many :sprint_efforts, :dependent => :destroy

        # *****
        # Smile specific retro patch : Retro-compatibility Redmine < 3.1
        if Redmine::VERSION::MAJOR < 3 || (Redmine::VERSION::MAJOR == 3 && Rails::VERSION::MINOR < 1)
          def allowed_to_view_all_time_entries?(context)
            allowed_to?(:view_time_entries, context) do |role, user|
              false
            end
          end
        end
        # END -- Smile specific retro patch
        # *****
      end
    end
  end
end

```

end

#2 - 2016-05-03 22:44 - Redmine Smile

Lines after the pre bloc are to ignore

#3 - 2016-05-03 22:48 - Leonardo Sena

The recomendem version should be 3.1.x then.

The plugins page on redmine's site should be updated, it says:

Compatible with: Redmine 3.1.x, 3.0.x

#4 - 2016-06-21 13:15 - Emilio González Montaña

- *Status changed from New to In progress*

- *Target version set to Scrum v0.14.0*

- *Sprint set to Sprint 28*

#5 - 2016-06-21 13:17 - Emilio González Montaña

- *Status changed from In progress to Resolved*