

## Scrum - Defect #1583

**Error when loading backlog: NoMethodError (undefined method `reset\_positions\_in\_list' for #<Issue:0x00007fab205fd390>):**

2020-06-12 15:44 - Cyril Poulet

<b>Status:</b>	Resolved		
<b>Priority:</b>	Normal		
<b>Category:</b>	Product backlog		
<b>Target version:</b>	Scrum v0.22.0		
<b>Source:</b>	Customer	<b>Blocked:</b>	No
<b>Detected on version:</b>	Scrum v0.21.0	<b>Alone:</b>	Yes
<b>Description</b>			
from production.log :			
<pre>Started GET "/projects/environnement-de-webconf-securise/product_backlog" for XX.XX.XX.XX at 2020-06-12 15:16:10 +0200 Processing by ProductBacklogController#index as HTML   Parameters: {"project_id"=&gt;"environnement-de-webconf-securise"}   Current user: aaaa.bbb (id=34) Redirected to https://redmine.canton-consulting.com/product_backlog/26 Completed 302 Found in 26ms (ActiveRecord: 6.0ms) Started GET "/product_backlog/26" for 82.66.49.25 at 2020-06-12 15:16:10 +0200 Processing by ProductBacklogController#show as HTML   Parameters: {"id"=&gt;"26"}   Current user: aaaa.bbb (id=34) Completed 500 Internal Server Error in 123ms (ActiveRecord: 9.3ms)  NoMethodError (undefined method `reset_positions_in_list' for #&lt;Issue:0x00007fab205fd390&gt;):  plugins/scrum/app/controllers/product_backlog_controller.rb:208:in `check_issue_position' plugins/scrum/app/controllers/product_backlog_controller.rb:214:in `block in check_issue_position' plugins/scrum/app/controllers/product_backlog_controller.rb:213:in `check_issue_position' plugins/scrum/app/controllers/product_backlog_controller.rb:202:in `check_issue_positions' lib/redmine/sudo_mode.rb:65:in `sudo_mode'</pre>			
Installed Redmine :			
Redmine version 4.1.1.stable			
Ruby version 2.5.5-p157 (2019-03-15) [x86_64-linux-gnu]			
Rails version 5.2.4.2			
Environment production			
Database adapter PostgreSQL			
Mailer queue ActiveJob::QueueAdapters::AsyncAdapter			
Mailer delivery smtp			
(I am the one that created this issue on advanced_roadmap : <a href="https://redmine.ociotec.com/issues/1580">https://redmine.ociotec.com/issues/1580</a> )			

### Associated revisions

**Revision f6890db8 - 2020-10-03 15:36 - Emilio González Montaña**

#1583 Fix PBIs sorting when non PBI is on PB

### History

**#1 - 2020-07-19 17:16 - Cyril Poulet**

Up  
This makes the plugin not usable, as we cannot create sprints until the backlog exists, and we cannot create the backlog.

**#2 - 2020-07-21 08:02 - Emilio González Montaña**

Hi, I will take a look to the error... please disable the plugin setting to check PBIs sort on product backlog and let me know the results

### #3 - 2020-07-24 13:00 - Cyril Poulet

Hi

So as our use of redmine evolved, the problem evolved too.

I currently have a project with 8 subprojets, and the problem only occurs in one of the subprojets (not in the main project nor in the other subprojets). It is still the same error with the same log signature.

I tried to check or uncheck the PBIs sort in the settings, but no changes.

### #4 - 2020-08-25 22:49 - Kent Hulick

This comes when you assign an issue to the backlog that is not allowed to be in the backlog. It will also happen if you change the tracker to one that is allowed at the same time as you assign it to the back log.

The best work around is to allow all issue types in the back log. That alone will not fix your backlog, and unfortunately the log message doesn't tell you the ticket number that is breaking the backlog so there is no way to find it without manually querying the database. After you allow all issue types in the back log take everything out of the backlog, make sure the backlog works, then assign them back into the backlog.

I created a custom query to find the issues breaking the backlog, but it doesn't always work if someone changes the tracker and assigns it to the backlog at the same time. Getting the issue number in the log instead of the binary id number would be very useful.

As I type this the backlog for this project is similarly broken!!

### #5 - 2020-09-24 10:42 - Travis Newman

I'm running into this problem as well:

```
Sep 24 18:39:32 pro-web-osticket docker[12372]: Completed 500 Internal Server Error in 12ms (
ActiveRecord: 4.5ms)
Sep 24 18:39:32 pro-web-osticket docker[12372]: NoMethodError (undefined method `reset_positions_in_list
' for #<Issue:0x00007f788baf1080>):
Sep 24 18:39:32 pro-web-osticket docker[12372]: plugins/scrums/app/controllers/product_backlog_controller.rb:20
8:in `check_issue_position'
Sep 24 18:39:32 pro-web-osticket docker[12372]: plugins/scrums/app/controllers/product_backlog_controller.rb:21
4:in `block in check_issue_position'
Sep 24 18:39:32 pro-web-osticket docker[12372]: plugins/scrums/app/controllers/product_backlog_controller.rb:21
3:in `check_issue_position'
Sep 24 18:39:32 pro-web-osticket docker[12372]: plugins/scrums/app/controllers/product_backlog_controller.rb:20
2:in `check_issue_positions'
Sep 24 18:39:32 pro-web-osticket docker[12372]: lib/redmine/sudo_mode.rb:65:in `sudo_mode'
```

Disabling "PBIs sort on product backlog" produced no noticeable effect.

### #6 - 2020-09-30 10:23 - Vikram Lele

I am facing the same issue.

Some user accidentally assigned a task type issue to backlog, and after that accessing Backlog stopped working. Luckily workaround suggested by **Kent Hulick** above worked (Thanks!). I searched for all non-user story issues that were assigned to backlog, and moved them to "none" sprint. This got my backlog working again.

### #7 - 2020-10-01 21:27 - Johan Dahl

I also got this issue then moving an issue (User story) with multiple tasks from Sprint to Backlog. The problem is that the tasks don't get assigned a position. This is an issue (tracker 4 User Story) and two tasks (tracker 5). Then it is moved from a sprint to the backlog it will break it.

id	tracker_id	project_id	subject	parent_id	root_id	lft	rgt	sprint_id	position
2577	4	20	Parent	NULL	2577	1	8	4	0
2601	5	20	One task	2577	2577	2	3	4	NULL
2602	5	20	One more task	2577	2577	4	5	4	NULL

A solution I came up with which seems to fix this is to set position to the id of the parent

```
update issues set position = parent_id where position is null and sprint_id = 4 and tracker_id = 5 and parent_
id is not null
```

Of course you need to exchange the 4 for the id of your backlog and 5 to the id of your tracker containing tasks. Moving Simple PBI:s and Issues with only one task don't create this problem.

### #8 - 2020-10-02 07:21 - Johan Dahl

Update: I tried the suggestion above from Kent Hulik. I didn't crash the backlog and the item was sent to the backlog BUT the tasks remained on the sprintboard but moved to the backlog column.

### #9 - 2020-10-03 15:34 - Emilio González Montaña

- *Alone changed from No to Yes*
- *Target version set to Scrum v0.22.0*
- *Status changed from New to In progress*
- *Category set to Product backlog*

**#10 - 2020-10-03 15:37 - Emilio González Montaña**

- *Status changed from In progress to Resolved*

**#11 - 2020-10-03 15:42 - Emilio González Montaña**

- *Sprint set to Sprint 39*