

Docs - Error #164

Can't clone NilClass editing a DocElement

2009-08-31 13:02 - Emilio González Montaña

Status:	Resolved	Start date:	2009-08-31
Priority:	Normal	Due date:	2009-08-31
Assignee:	Emilio González Montaña	% Done:	100%
Category:	DocElements	Estimated time:	0.00 hour
Target version:	0.0.2	Detected on version:	
Source:			
Description			
Editing a DocElement without DocElementValues cause an error:			
<pre>TypeError in Doc elementsController#update can't clone NilClass RAILS_ROOT: /var/www/redmine-0.8.4-dev Application Trace Framework Trace Full Trace vendor/plugins/docs/app/controllers/doc_elements_controller.rb:39:in `clone' vendor/plugins/docs/app/controllers/doc_elements_controller.rb:39:in `update' vendor/rails/actionpack/lib/action_controller/base.rb:1166:in `send' vendor/rails/actionpack/lib/action_controller/base.rb:1166:in `perform_action_without_filters' vendor/rails/actionpack/lib/action_controller/filters.rb:579:in `call_filters' vendor/rails/actionpack/lib/action_controller/filters.rb:572:in `perform_action_without_benchmark' vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue' /usr/lib/ruby/1.8/benchmark.rb:293:in `measure' vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue' vendor/rails/actionpack/lib/action_controller/rescue.rb:201:in `perform_action_without_caching' vendor/rails/actionpack/lib/action_controller/caching/sql_cache.rb:13:in `perform_action' vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:33:in `cache' vendor/rails/activerecord/lib/active_record/query_cache.rb:8:in `cache' vendor/rails/actionpack/lib/action_controller/caching/sql_cache.rb:12:in `perform_action' vendor/rails/actionpack/lib/action_controller/base.rb:529:in `send' vendor/rails/actionpack/lib/action_controller/base.rb:529:in `process_without_filters' vendor/rails/actionpack/lib/action_controller/filters.rb:568:in `process_without_session_management_support' vendor/rails/actionpack/lib/action_controller/session_management.rb:130:in `process' vendor/rails/actionpack/lib/action_controller/base.rb:389:in `process' vendor/rails/actionpack/lib/action_controller/dispatcher.rb:149:in `handle_request' vendor/rails/actionpack/lib/action_controller/dispatcher.rb:107:in `dispatch' vendor/rails/actionpack/lib/action_controller/dispatcher.rb:104:in `synchronize' vendor/rails/actionpack/lib/action_controller/dispatcher.rb:104:in `dispatch' vendor/rails/actionpack/lib/action_controller/dispatcher.rb:120:in `dispatch_cgi' vendor/rails/actionpack/lib/action_controller/dispatcher.rb:35:in `dispatch' /usr/lib/ruby/1.8/mongrel/rails.rb:76:in `process' /usr/lib/ruby/1.8/mongrel/rails.rb:74:in `synchronize' /usr/lib/ruby/1.8/mongrel/rails.rb:74:in `process' /usr/lib/ruby/1.8/mongrel.rb:159:in `process_client' /usr/lib/ruby/1.8/mongrel.rb:158:in `each' /usr/lib/ruby/1.8/mongrel.rb:158:in `process_client' /usr/lib/ruby/1.8/mongrel.rb:285:in `run' /usr/lib/ruby/1.8/mongrel.rb:285:in `initialize' /usr/lib/ruby/1.8/mongrel.rb:285:in `new' /usr/lib/ruby/1.8/mongrel.rb:285:in `run' /usr/lib/ruby/1.8/mongrel.rb:268:in `initialize' /usr/lib/ruby/1.8/mongrel.rb:268:in `new' /usr/lib/ruby/1.8/mongrel.rb:268:in `run'</pre>			

```
/usr/lib/ruby/1.8/mongrel/configurator.rb:282:in `run'
/usr/lib/ruby/1.8/mongrel/configurator.rb:281:in `each'
/usr/lib/ruby/1.8/mongrel/configurator.rb:281:in `run'
/usr/bin/mongrel_rails:129:in `run'
/usr/bin/mongrel_rails:282

vendor/plugins/docs/app/controllers/doc_elements_controller.rb:39:in `clone'
vendor/plugins/docs/app/controllers/doc_elements_controller.rb:39:in `update'
vendor/rails/actionpack/lib/action_controller/base.rb:1166:in `send'
vendor/rails/actionpack/lib/action_controller/base.rb:1166:in `perform_action_without_filters'
vendor/rails/actionpack/lib/action_controller/filters.rb:579:in `call_filters'
vendor/rails/actionpack/lib/action_controller/filters.rb:572:in `perform_action_without_benchmark'
vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
'
vendor/rails/actionpack/lib/action_controller/rescue.rb:201:in `perform_action_without_caching'
vendor/rails/actionpack/lib/action_controller/caching/sql_cache.rb:13:in `perform_action'
vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:33:in `cache'
'
vendor/rails/activerecord/lib/active_record/query_cache.rb:8:in `cache'
vendor/rails/actionpack/lib/action_controller/caching/sql_cache.rb:12:in `perform_action'
vendor/rails/actionpack/lib/action_controller/base.rb:529:in `send'
vendor/rails/actionpack/lib/action_controller/base.rb:529:in `process_without_filters'
vendor/rails/actionpack/lib/action_controller/filters.rb:568:in `process_without_session_management_support'
'
vendor/rails/actionpack/lib/action_controller/session_management.rb:130:in `process'
vendor/rails/actionpack/lib/action_controller/base.rb:389:in `process'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:149:in `handle_request'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:107:in `dispatch'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:104:in `synchronize'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:104:in `dispatch'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:120:in `dispatch_cgi'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:35:in `dispatch'
'
/usr/lib/ruby/1.8/mongrel/rails.rb:76:in `process'
/usr/lib/ruby/1.8/mongrel/rails.rb:74:in `synchronize'
/usr/lib/ruby/1.8/mongrel/rails.rb:74:in `process'
/usr/lib/ruby/1.8/mongrel.rb:159:in `process_client'
/usr/lib/ruby/1.8/mongrel.rb:158:in `each'
/usr/lib/ruby/1.8/mongrel.rb:158:in `process_client'
/usr/lib/ruby/1.8/mongrel.rb:285:in `run'
/usr/lib/ruby/1.8/mongrel.rb:285:in `initialize'
/usr/lib/ruby/1.8/mongrel.rb:285:in `new'
/usr/lib/ruby/1.8/mongrel.rb:285:in `run'
/usr/lib/ruby/1.8/mongrel.rb:268:in `initialize'
/usr/lib/ruby/1.8/mongrel.rb:268:in `new'
/usr/lib/ruby/1.8/mongrel.rb:268:in `run'
/usr/lib/ruby/1.8/mongrel/configurator.rb:282:in `run'
/usr/lib/ruby/1.8/mongrel/configurator.rb:281:in `each'
/usr/lib/ruby/1.8/mongrel/configurator.rb:281:in `run'
/usr/lib/ruby/1.8/mongrel/command.rb:212:in `run'

vendor/plugins/docs/app/controllers/doc_elements_controller.rb:39:in `clone'
vendor/plugins/docs/app/controllers/doc_elements_controller.rb:39:in `update'
vendor/rails/actionpack/lib/action_controller/base.rb:1166:in `send'
vendor/rails/actionpack/lib/action_controller/base.rb:1166:in `perform_action_without_filters'
vendor/rails/actionpack/lib/action_controller/filters.rb:579:in `call_filters'
vendor/rails/actionpack/lib/action_controller/filters.rb:572:in `perform_action_without_benchmark'
vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
'
vendor/rails/actionpack/lib/action_controller/rescue.rb:201:in `perform_action_without_caching'
vendor/rails/actionpack/lib/action_controller/caching/sql_cache.rb:13:in `perform_action'
vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:33:in `cache'
```

```
he'
vendor/rails/activerecord/lib/active_record/query_cache.rb:8:in `cache'
vendor/rails/actionpack/lib/action_controller/caching/sql_cache.rb:12:in `perform_action'
vendor/rails/actionpack/lib/action_controller/base.rb:529:in `send'
vendor/rails/actionpack/lib/action_controller/base.rb:529:in `process_without_filters'
vendor/rails/actionpack/lib/action_controller/filters.rb:568:in `process_without_session_management_support'
vendor/rails/actionpack/lib/action_controller/session_management.rb:130:in `process'
vendor/rails/actionpack/lib/action_controller/base.rb:389:in `process'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:149:in `handle_request'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:107:in `dispatch'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:104:in `synchronize'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:104:in `dispatch'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:120:in `dispatch_cgi'
vendor/rails/actionpack/lib/action_controller/dispatcher.rb:35:in `dispatch'
/usr/lib/ruby/1.8/mongrel/rails.rb:76:in `process'
/usr/lib/ruby/1.8/mongrel/rails.rb:74:in `synchronize'
/usr/lib/ruby/1.8/mongrel/rails.rb:74:in `process'
/usr/lib/ruby/1.8/mongrel.rb:159:in `process_client'
/usr/lib/ruby/1.8/mongrel.rb:158:in `each'
/usr/lib/ruby/1.8/mongrel.rb:158:in `process_client'
/usr/lib/ruby/1.8/mongrel.rb:285:in `run'
/usr/lib/ruby/1.8/mongrel.rb:285:in `initialize'
/usr/lib/ruby/1.8/mongrel.rb:285:in `new'
/usr/lib/ruby/1.8/mongrel.rb:285:in `run'
/usr/lib/ruby/1.8/mongrel.rb:268:in `initialize'
/usr/lib/ruby/1.8/mongrel.rb:268:in `new'
/usr/lib/ruby/1.8/mongrel.rb:268:in `run'
/usr/lib/ruby/1.8/mongrel/configurator.rb:282:in `run'
/usr/lib/ruby/1.8/mongrel/configurator.rb:281:in `each'
/usr/lib/ruby/1.8/mongrel/configurator.rb:281:in `run'
/usr/bin/mongrel_rails:129:in `run'
/usr/lib/ruby/1.8/mongrel/command.rb:212:in `run'
/usr/bin/mongrel_rails:282
```

Request

Parameters:

```
{"commit"=>"Guardar",
 "doc_element"=>{"position"=>"3",
 "name"=>"Design architecture",
 "parent_id"=>"8",
 "is_section"=>"1",
 "content"=>"The main characteristic of the PVI - SVIQ System is that it is based on a platform on the cutting edge of digital technology, with transport of video and data signals via Ethernet.\r\n\r\nAll designed to work in railway environments with the highest level of availability and compliance with standards.\r\n\r\nThe Video Server Units are specifically designed to operate normally under the special conditions of noise, vibration, etc. that are generated inside the train. The Video Server Units will be equipped with a specific embedded operating system, with the advantages that this provides over a generic operating system: stability, performance, fast recovery and boot times, etc.\r\n\r\nThe Video Server Units are connected to the Passenger Monitors by S-FTP, CAT-5e or higher, 100 Mbps cable, and will pass between cars over the connectors and patch cords required to comply with the certification. The installation of this cable will be certified with category 5e. \r\n\r\nUnder no circumstances may the total length of a point-to-point Ethernet link exceed 100 meters.\r\n\r\nWe recommend shielded conduits for Ethernet wiring."},
 "id"=>"11"}
```

Show session dump

```
:user_id: 153
:query:
  :filters:
    status_id:
      :values:
        - ""
      :operator: o
  :project_id: 174
issueschanges_sort:
  :order: desc
  :key: id
issuesindex_sort:
  :order: desc
  :key: id
flash: !map:ActionController::Flash::FlashHash {}
```

Response

Headers:

```
{"cookie"=>[],
"Cache-Control"=>"no-cache"}
```

Associated revisions

Revision 676 - 2009-08-31 13:03 - Emilio González Montaña

#164

- Error fix: Can't clone NilClass editing a DocElement.

History

#1 - 2009-08-31 13:04 - Emilio González Montaña

- Due date set to 2009-08-31

- Status changed from *In progress* to *Resolved*

- % Done changed from 0 to 100