

Scrum - Defect #894

moudle 'Scrum' display 'No data to display'

2014-10-24 10:29 - Zhengming Yuan

Status: Rejected	
Priority: Urgent	
Category:	
Target version:	
Source: Development	Blocked: No
Detected on version: Scrum v0.7.0	Alone:

Description

Hi,
i have deployed the 'Scrum' in redmine that deployed in tomcat, but when i click into 'Scrum', it display 'No data to display'.

Home My page Projects Administration Help

ZXVMAX

Overview Activity **Scrum** Issues New issue Gantt Calendar News Documents Wiki Files Settings

Sprint board

Sprint

Sprint:

Start date: 10/24/2014

End date: 10/29/2014

SPs by PBI type: Total (0.0 sp)

Time by activity: Total (0.0 h)

Estimated effort:

Done effort:

No data to display

i check the debuginfo. these is some puzzle: 'AND 1=0' will return no data

```
SELECT `issues`.* FROM `issues` WHERE `issues`.`sprint_id` = 2 AND 1=0 ORDER BY position ASC
```

DebugInfo:

```
24-Oct-2014 15:29:04.737 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mSprint Load (0.0ms)[0m SELECT `sprints`.* FROM `sprints` WHERE `sprints`.`project_id` = 1 AND `sprints`.`is_product_backlog` = 0 ORDER BY start_date ASC, name ASC
```

```
24-Oct-2014 15:29:04.753 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[36mIssue Load (0.0ms)[0m [1mSELECT `issues`.* FROM `issues` WHERE `issues`.`sprint_id` = 2 AND 1=0 ORDER BY position ASC[0m
```

```
24-Oct-2014 15:29:04.768 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mIssue Load (15.0ms)[0m SELECT `issues`.* FROM `issues` WHERE `issues`.`sprint_id` = 2 AND 1=0
```

```
24-Oct-2014 15:29:04.768 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[36mCACHE (0.0ms)[0m [1mSELECT `issues`.* FROM `issues` WHERE `issues`.`sprint_id` = 2 AND 1=0[0m
```

```
24-Oct-2014 15:29:04.784 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mSprintEffort Load (0.0ms)[0m SELECT `sprint_efforts`.* FROM `sprint_efforts` WHERE `sprint_efforts`.`sprint_id` = 2
```

```
24-Oct-2014 15:29:04.784 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log Rendered plugins/scrum/app/views/post_its/sprint_board/_head.html.erb (47.0ms)
```

```
24-Oct-2014 15:29:04.800 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[36mCACHE (0.0ms)[0m [1mSELECT `issues`.* FROM `issues` WHERE `issues`.`sprint_id` = 2 AND 1=0 ORDER BY position ASC[0m
```

24-Oct-2014 15:29:04.800 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mTracker Load (0.0ms)[0m SELECT `trackers`.* FROM `trackers` WHERE 1=0

24-Oct-2014 15:29:04.800 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log Rendered plugins/scrum/app/views/common/_scrum_footer.html.erb (0.0ms)

24-Oct-2014 15:29:04.800 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log Rendered plugins/scrum/app/views/sprints/show.html.erb within layouts/base (79.0ms)

24-Oct-2014 15:29:04.815 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[36mUserPreference Load (0.0ms)[0m [1mSELECT `user_preferences`.* FROM `user_preferences` WHERE `user_preferences`.`user_id` = 1 LIMIT 1[0m

24-Oct-2014 15:29:04.831 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log Rendered plugins/scrum/app/views/scrum_hooks/_head.html.erb (0.0ms)

24-Oct-2014 15:29:04.862 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mSQL (0.0ms)[0m SELECT `members`.`id` AS t0_r0, `members`.`user_id` AS t0_r1, `members`.`project_id` AS t0_r2, `members`.`created_on` AS t0_r3, `members`.`mail_notification` AS t0_r4, `projects`.`id` AS t1_r0, `projects`.`name` AS t1_r1, `projects`.`description` AS t1_r2, `projects`.`homepage` AS t1_r3, `projects`.`is_public` AS t1_r4, `projects`.`parent_id` AS t1_r5, `projects`.`created_on` AS t1_r6, `projects`.`updated_on` AS t1_r7, `projects`.`identifier` AS t1_r8, `projects`.`status` AS t1_r9, `projects`.`lft` AS t1_r10, `projects`.`rgt` AS t1_r11, `projects`.`inherit_members` AS t1_r12, `projects`.`product_backlog_id` AS t1_r13, `roles`.`id` AS t2_r0, `roles`.`name` AS t2_r1, `roles`.`position` AS t2_r2, `roles`.`assignable` AS t2_r3, `roles`.`builtin` AS t2_r4, `roles`.`permissions` AS t2_r5, `roles`.`issues_visibility` AS t2_r6 FROM `members` LEFT OUTER JOIN `projects` ON `projects`.`id` = `members`.`project_id` LEFT OUTER JOIN `member_roles` ON `member_roles`.`member_id` = `members`.`id` LEFT OUTER JOIN `roles` ON `roles`.`id` = `member_roles`.`role_id` WHERE `members`.`user_id` = 1 AND (projects.status<>9) ORDER BY projects.name

24-Oct-2014 15:29:04.878 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[36m (0.0ms)[0m [1mSELECT COUNT FROM `versions` LEFT OUTER JOIN `projects` ON `projects`.`id` = `versions`.`project_id` WHERE (projects.id = 1 OR (projects.status <> 9 AND (versions.sharing = 'system' OR (projects.lft >= 1 AND projects.rgt <= 2 AND versions.sharing = 'tree') OR (projects.lft < 1 AND projects.rgt > 2 AND versions.sharing IN ('hierarchy', 'descendants')) OR (projects.lft > 1 AND projects.rgt < 2 AND versions.sharing = 'hierarchy')))))[0m

24-Oct-2014 15:29:04.893 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mWiki Load (0.0ms)[0m SELECT `wikis`.* FROM `wikis` WHERE `wikis`.`project_id` = 1 LIMIT 1

24-Oct-2014 15:29:04.909 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[36m (0.0ms)[0m [1mSELECT COUNT FROM `boards` WHERE `boards`.`project_id` = 1[0m

24-Oct-2014 15:29:04.909 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log [1m[35mRepository Load (0.0ms)[0m SELECT `repositories`.* FROM `repositories` WHERE `repositories`.`project_id` = 1 AND (is_default = 1) LIMIT 1

24-Oct-2014 15:29:04.909 INFO [http-apr-9090-exec-3] org.apache.catalina.core.ApplicationContext.log Completed 200 OK in 250.0ms (Views: 173.0ms | ActiveRecord: 15.0ms)

Others:

Environment:

Redmine version 2.5.3.stable
Ruby version 1.9.3-p392 (2014-09-25) [java]
Rails version 3.2.19
Environment production
Database adapter MySQL

SCM:

Filesystem

Redmine plugins:

scrum 0.7.0

History

#1 - 2014-12-31 10:54 - yach 17

It's been two months, but since I have had the same problem, I post the answer here to help others. All you need to do in order to have your PBIs and tasks displayed on the relevant boards is configure the plugin properly (in Administration > plugins > Configure link next to Scrum plugin). You need at least to specify "Task statuses for Sprint board" and "PBI statuses for Product backlog & Sprint board", otherwise you'll get this strange "1=0" in your queries. Hope this helps.

#2 - 2016-06-21 13:19 - Emilio González Montaña

- Status changed from New to Rejected

- Blocked set to No

Not a bug.

Files

NoDisplay.jpg	55.3 KB	2014-10-24	Zhengming Yuan
---------------	---------	------------	----------------