

Scrum - Defect #939

I try to upgrade v0.8 to v0.9, but fail

2015-01-23 02:06 - Lin Ye

Status: Rejected	
Priority: Normal	
Category:	
Target version:	
Source: Customer	Blocked:
Detected on version: Scrum v0.9.0	Alone:
Description	
step 1: I removed the scrum folder.	
step 2: I download the v0.9	
step 3: bundle install	
step 4: rake redmine:plugins:migrate RAILS_ENV=production	
LOGS:	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/x86_64-linux/psych.so: warning: already initialized constant Psych::Parser::ANY	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/x86_64-linux/psych.so: warning: already initialized constant Psych::Parser::UTF8	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/x86_64-linux/psych.so: warning: already initialized constant Psych::Parser::UTF16LE	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/x86_64-linux/psych.so: warning: already initialized constant Psych::Parser::UTF16BE	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:6: warning: already initialized constant Psych::ClassLoader::BIG_DECIMAL	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:6: warning: previous definition of BIG_DECIMAL was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:7: warning: already initialized constant Psych::ClassLoader::COMPLEX	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:7: warning: previous definition of COMPLEX was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:8: warning: already initialized constant Psych::ClassLoader::DATE	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:8: warning: previous definition of DATE was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:9: warning: already initialized constant Psych::ClassLoader::DATE_TIME	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:9: warning: previous definition of DATE_TIME was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:10: warning: already initialized constant Psych::ClassLoader::EXCEPTION	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:10: warning: previous definition of EXCEPTION was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:11: warning: already initialized constant Psych::ClassLoader::OBJECT	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:11: warning: previous definition of OBJECT was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:12: warning: already initialized constant Psych::ClassLoader::PSYCH_OMAP	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:12: warning: previous definition of PSYCH_OMAP was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:13: warning: already initialized constant Psych::ClassLoader::PSYCH_SET	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:13: warning: previous definition of PSYCH_SET was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:14: warning: already initialized constant Psych::ClassLoader::RANGE	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:14: warning: previous definition of RANGE was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:15: warning: already initialized constant Psych::ClassLoader::RATIONAL	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:15: warning: previous definition of RATIONAL was here	
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:16: warning: already initialized constant Psych::ClassLoader::REGEXP	
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:16: warning: previous definition of REGEXP was here	

/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:17: warning: already initialized constant Psych::ClassLoader::STRUCT
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:17: warning: previous definition of STRUCT was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:18: warning: already initialized constant Psych::ClassLoader::SYMBOL
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:18: warning: previous definition of SYMBOL was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/class_loader.rb:64: warning: already initialized constant Psych::ClassLoader::CACHE
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/class_loader.rb:64: warning: previous definition of CACHE was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/scalar_scanner.rb:8: warning: already initialized constant Psych::ScalarScanner::TIME
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/scalar_scanner.rb:8: warning: previous definition of TIME was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/scalar_scanner.rb:11: warning: already initialized constant Psych::ScalarScanner::FLOAT
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/scalar_scanner.rb:11: warning: previous definition of FLOAT was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/scalar_scanner.rb:17: warning: already initialized constant Psych::ScalarScanner::INTEGER
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/scalar_scanner.rb:17: warning: previous definition of INTEGER was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/stream.rb:12: warning: already initialized constant Psych::Nodes::Stream::ANY
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/stream.rb:12: warning: previous definition of ANY was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/stream.rb:15: warning: already initialized constant Psych::Nodes::Stream::UTF8
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/stream.rb:15: warning: previous definition of UTF8 was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/stream.rb:18: warning: already initialized constant Psych::Nodes::Stream::UTF16LE
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/stream.rb:18: warning: previous definition of UTF16LE was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/stream.rb:21: warning: already initialized constant Psych::Nodes::Stream::UTF16BE
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/stream.rb:21: warning: previous definition of UTF16BE was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/sequence.rb:42: warning: already initialized constant Psych::Nodes::Sequence::ANY
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/sequence.rb:42: warning: previous definition of ANY was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/sequence.rb:45: warning: already initialized constant Psych::Nodes::Sequence::BLOCK
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/sequence.rb:45: warning: previous definition of BLOCK was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/sequence.rb:48: warning: already initialized constant Psych::Nodes::Sequence::FLOW
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/sequence.rb:48: warning: previous definition of FLOW was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/scalar.rb:9: warning: already initialized constant Psych::Nodes::Scalar::ANY
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/scalar.rb:9: warning: previous definition of ANY was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/scalar.rb:12: warning: already initialized constant Psych::Nodes::Scalar::PLAIN
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/scalar.rb:12: warning: previous definition of PLAIN was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/scalar.rb:15: warning: already initialized constant Psych::Nodes::Scalar::SINGLE_QUOTED
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/scalar.rb:15: warning: previous definition of SINGLE_QUOTED was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/scalar.rb:18: warning: already initialized constant Psych::Nodes::Scalar::DOUBLE_QUOTED
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/scalar.rb:18: warning: previous definition of DOUBLE_QUOTED was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/scalar.rb:21: warning: already initialized constant Psych::Nodes::Scalar::LITERAL
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/scalar.rb:21: warning: previous definition of LITERAL was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/scalar.rb:24: warning: already initialized constant Psych::Nodes::Scalar::FOLDED
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/scalar.rb:24: warning: previous definition of FOLDED was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/mapping.rb:16: warning: already initialized constant Psych::Nodes::Mapping::ANY
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/mapping.rb:16: warning: previous definition of ANY was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/mapping.rb:19: warning: already initialized constant Psych::Nodes::Mapping::BLOCK
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/mapping.rb:19: warning: previous definition of BLOCK was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/nodes/mapping.rb:22: warning: already initialized constant Psych::Nodes::Mapping::FLOW

```
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/nodes/mapping.rb:22: warning: previous definition of FLOW was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/visitors/visitor.rb:10: warning: already initialized constant
Psych::Visitors::Visitor::DISPATCH
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/visitors/visitor.rb:10: warning: previous definition of DISPATCH was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/handler.rb:26: warning: already initialized constant Psych::Handler::OPTIONS
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/handler.rb:26: warning: previous definition of OPTIONS was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/handler.rb:29: warning: already initialized constant Psych::Handler::EVENTS
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/handler.rb:29: warning: previous definition of EVENTS was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/visitors/yaml_tree.rb:430: warning: already initialized constant
Psych::Visitors::YAMLTREE::NULL
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/visitors/yaml_tree.rb:430: warning: previous definition of NULL was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/visitors/yaml_tree.rb:431: warning: already initialized constant
Psych::Visitors::YAMLTREE::BINARY_RANGE
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/visitors/yaml_tree.rb:431: warning: previous definition of
BINARY_RANGE was here
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/visitors/yaml_tree.rb:432: warning: already initialized constant
Psych::Visitors::YAMLTREE::WS_RANGE
/usr/local/rvm/gems/ruby-2.2.0/gems/psych-2.0.11/lib/psych/visitors/yaml_tree.rb:432: warning: previous definition of WS_RANGE
was here
rake aborted!
TypeError: superclass mismatch for class Mark
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/parser.rb:33:in `'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/parser.rb:32:in `'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych/parser.rb:1:in `'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych.rb:7:in `require'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/psych.rb:7:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/activesupport-3.2.21/lib/active_support/ordered_hash.rb:2:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/activesupport-3.2.21/lib/active_support/ordered_hash.rb:2:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/activesupport-3.2.21/lib/active_support/ordered_options.rb:1:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/activesupport-3.2.21/lib/active_support/ordered_options.rb:1:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/configuration.rb:2:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/configuration.rb:2:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/railtie.rb:2:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/railtie.rb:2:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/engine.rb:1:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/engine.rb:1:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/plugin.rb:1:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/plugin.rb:1:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/application.rb:3:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/application.rb:3:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails.rb:10:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails.rb:10:in `'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/all.rb:1:in `require'
/usr/local/rvm/gems/ruby-2.2.0/gems/railties-3.2.21/lib/rails/all.rb:1:in `'
/opt/redmine/config/application.rb:3:in `require'
/opt/redmine/config/application.rb:3:in `'
/opt/redmine/Rakefile:5:in `require'
/opt/redmine/Rakefile:5:in `'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/rake_module.rb:28:in `load'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/rake_module.rb:28:in `load_rakefile'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:689:in `raw_load_rakefile'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:94:in `block in load_rakefile'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:176:in `standard_exception_handling'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:93:in `load_rakefile'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:77:in `block in run'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:176:in `standard_exception_handling'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/2.2.0/rake/application.rb:75:in `run'
/usr/local/rvm/rubies/ruby-2.2.0/lib/ruby/gems/2.2.0/gems/rake-10.4.2/bin/rake:33:in `'
/usr/local/rvm/gems/ruby-2.2.0/bin/rake:23:in `load'
/usr/local/rvm/gems/ruby-2.2.0/bin/rake:23:in `'
/usr/local/rvm/gems/ruby-2.2.0/bin/ruby_executable_hooks:15:in `eval'
/usr/local/rvm/gems/ruby-2.2.0/bin/ruby_executable_hooks:15:in `'

evn:
ruby -v
ruby 2.2.0p0 (2014-12-25 revision 49005) [x86_64-linux]
rails -v
```

History

#1 - 2015-01-24 00:16 - Emilio González Montaña

- *Status changed from New to Rejected*

You should not use such a new Ruby version, take a look to <http://www.redmine.org/projects/redmine/wiki/RedmineInstall> for Ruby version support.